




Amala
COLLEGE OF NURSING
ACCREDITED BY NAAC WITH A GRADE

AMALA COLLEGE OF NURSING

AQAR (2023-2024)



CRITERION 7 – Institutional Values and Best Practices

Key Indicator 7.1 – Institutional Values and Social Responsibilities

Metric No. 7.1.5 Water conservation facilities available in the Institution:

SUBMITTED TO



National Assessment and Accreditation Council



GLOBAL[®] LABS & CONSULTANTS

(A DIVISION OF PERIYAR BIOTECH (P) LTD)

AN ISO 9001 : 2015 & 14001 : 2015 CERTIFIED COMPANY

Approved by Kerala State Pollution Control Board

Empanelled By Suchitwa Mission

Licenced by Kerala state Drugs Control Department


REPORT ON ANALYSIS OF WASTE WATER

1.Source of Sample: Ultra Filter Out			2.Ref.No: GLC/E/40524403		
3.Sample Collected by: Global services			4.Date of Collection: 23.05.2024		
5.Period of Analysis: 24.05.2024 – 27.05.2024			6.Prepared on: 28.05.2024		
7. Client Address: AMALA INSTITUTE OF MEDICAL SCIENCES, THRISSUR.					
Sl. No	PARAMETERS	Unit	Method	KSPCB LIMIT	ACTUAL CONTENTS
1	pH	--	IS:3025(Pt.11)1983	5.5-9.0	7.54
2	Total Dissolved Solids	mg/l	IS:3025(Pt.16)1984	2100	487
3	Total Suspended Solids	mg/l	IS:3025(Pt.17)1984	100	<1
4	BOD 3 days at 27°C	mg/l	IS:3025(Pt.44)1993	30	5.8
5	COD	mg/l	IS:3025(Pt.58)2006	250	60.2
6	Oil and Grease	mg/l	IS:3025(Pt.39)1991	10	<1


Remarks: All parameters are within the limit of KSPCB Standard.




Prof. Dr. RAJEE REGHUNATH
PRINCIPAL
AMALA COLLEGE OF NURSING
AMALA NAGAR P.O., THRISSUR-680 555



CHEMIST





Registered Office

Global House, Mekkad P.O., Karakkattukunnu
Nedumbassery, Emakulam Dt. Kerala - 683589
Phone : 04847180654, 9446429151
website : www.globallabscochin.com
Email : babu.globallabs@gmail.com
periyarbiotech2003@gmail.com

R & D Laboratory

Mob : 9562800846
Email : globallabskuzhur@gmail.com

Warehouse

Mob : 9562800848
Bamboo House, Kuzhur P.O.
acctsperryarbiotech2003@gmail.com

Crows[®]

Home Care , Personal Hygiene
and Cosmetic Products

Bamboo House, Kuzhur.P.O
www.crowsplus.com,
customercare@crowplus.com,
Customer care : 9562800841



GLOBAL LABS & CONSULTANTS

(A DIVISION OF PERIYAR BIOTECH (P) LTD)

AN ISO 9001 : 2015 & 14001 : 2015 CERTIFIED COMPANY

Approved by Kerala State Pollution Control Board

Empanelled By Suchitwa Mission

Licensed by Kerala state Drugs Control Department

REPORT ON ANALYSIS OF WASTE WATER



1.Source of Sample: STP Filter Out			2.Ref.No: GLC/E/40424339		
3.Sample Collected by: Global services			4.Date of Collection: 22.04.2024		
5.Period of Analysis: 23.04.2024 – 26.04.2024			6.Prepared on: 27.04.2024		
7. Client Address: AMALA INSTITUTE OF MEDICAL SCIENCES, THRISSUR.					
Sl. No	PARAMETERS	Unit	Method	KSPCB LIMIT	ACTUAL CONTENTS
1	pH	--	IS:3025(Pt.11)1983	5.5-9.0	7.6
2	Total Dissolved Solids	mg/i	IS:3025(Pt.16)1984	2100	784
3	Total Suspended Solids	mg/l	IS:3025(Pt.17)1984	100	15
4	BOD 3 days at 27°C	mg/l	IS:3025(Pt.44)1993	30	9.2
5	COD	mg/l	IS:3025(Pt.58)2006	250	48.4
6	Oil and Grease	mg/l	IS:3025(Pt.39)1991	10	02

Remarks: All parameters are within the limit of KSPCB Standard.

Prof. Dr. RAJEEV REGHUNATH
PRINCIPAL
AMALA COLLEGE OF NURSING
AMALA NAGAR P.O., THRISSUR-680 555

CHEMIST

Raviqy



Registered Office

Global House, Mekkad P.O., Karakkattukunnu
Nedumbassery, Emakulam Dt. Kerala - 683589
Phone : 04847180654, 9446429151
website : www.globallabscochin.com
Email : babu.globallabs@gmail.com
periyarbiotech2003@gmail.com

R & D Laboratory

Mob : 9562800846
Email : globallabskuzhur@gmail.com

Warehouse

Mob : 9562800848
Bamboo House, Kuzhur P.O.
acctsperiyarbiotech2003@gmail.com

Crows[®]

Home Care , Personal Hygiene
and Cosmetic Products

Bamboo House, Kuzhur.P.O
www.crowsplus.com,
customercare@crowplus.com,
Customer care : 9562800841





GLOBAL LABS & CONSULTANTS

(A DIVISION OF PERIYAR BIOTECH (P) LTD)

AN ISO 9001 : 2015 & 14001 : 2015 CERTIFIED COMPANY

Approved by Kerala State Pollution Control Board

Empanelled By Suchitwa Mission

Licenced by Kerala state Drugs Control Department


REPORT ON ANALYSIS OF WASTE WATER

1.Source of Sample: STP Filter Out			2.Ref.No: GLC/E/40312215		
3.Sample Collected by: Global services			4.Date of Collection: 11.03.2024		
5.Period of Analysis: 12.03.2024 – 15.03.2024			6.Prepared on: 16.03.2024		
7. Client Address: AMALA INSTITUTE OF MEDICAL SCIENCES, THRISSUR.					
Sl. No	PARAMETERS	Unit	Method	KSPCB LIMIT	ACTUAL CONTENTS
1	pH	--	IS:3025(Pt.11)1983	5.5-9.0	7.52
2	Total Dissolved Solids	mg/l	IS:3025(Pt.16)1984	2100	928
3	Total Suspended Solids	mg/l	IS:3025(Pt.17)1984	100	26
4	BOD 3 days at 27 ^o C	mg/l	IS:3025(Pt.44)1993	30	11.6
5	COD	mg/l	IS:3025(Pt.58)2006	250	58.4
6	Oil and Grease	mg/l	IS:3025(Pt.39)1991	10	02

Remarks: All parameters are within the limit of KSPCB Standard.



Prof. Dr. RAJEE REGHUNATH
PRINCIPAL
AMALA COLLEGE OF NURSING
AMALA NAGAR P.O., THRISSUR-680 555



CHEMIST

Rajin



Registered Office

Global House, Mekkad P.O., Karakkattukunnu
Nedumbassery, Emakulam Dt. Kerala - 683589
Phone : 04847180654, 9446429151
website : www.globallabscochin.com
Email : babu.globallabs@gmail.com
periyarbiotech2003@gmail.com

R & D Laboratory

Mob : 9562800846
Email : globalabskuzhur@gmail.com

Warehouse

Mob : 9562800848
Bamboo House, Kuzhur P.O.
acctspriyariotech2003@gmail.com



Home Care , Personal Hygiene
and Cosmetic Products

Bamboo House, Kuzhur.P.O
www.crowsplus.com,
customercare@crowplus.com,
Customer care : 9562800841



GLOBAL[®] LABS & CONSULTANTS

(A DIVISION OF PERIYAR BIOTECH (P) LTD)

AN ISO 9001 : 2015 & 14001 : 2015 CERTIFIED COMPANY

Approved by Kerala State Pollution Control Board

Empanelled By Suchitwa Mission

Licenced by Kerala state Drugs Control Department


REPORT ON ANALYSIS OF WASTE WATER

1.Source of Sample: STP Filter Out			2.Ref.No: GLC/E/40215135		
3.Sample Collected by: Global services			4.Date of Collection: 15.02.2024		
5.Period of Analysis: 16.02.2024 – 19.02.2024			6.Prepared on: 20.02.2024		
7. Client Address: AMALA INSTITUTE OF MEDICAL SCIENCES, THRISSUR.					
Sl. No	PARAMETERS	Unit	Method	KSPCB LIMIT	ACTUAL CONTENTS
1	pH	--	IS:3025(Pt.11)1983	5.5-9.0	7.37
2	Total Dissolved Solids	mg/l	IS:3025(Pt.16)1984	2100	800
3	Total Suspended Solids	mg/l	IS:3025(Pt.17)1984	100	22
4	BOD 3 days at 27 ^o C	mg/l	IS:3025(Pt.44)1993	30	14.8
5	COD	mg/l	IS:3025(Pt.58)2006	250	66.8
6	Oil and Grease	mg/l	IS:3025(Pt.39)1991	10	03


Remarks: All parameters are within the limit of KSPCB Standard.




Prof. Dr. RAJEE REGHUNATH
PRINCIPAL
AMALA COLLEGE OF NURSING
AMALA NAGAR P.O., THRISSUR-680 555



CHEMIST





Registered Office

Global House, Meekad P.O., Karakkattukunnu
Nedumbassery, Emakulam Dt. Kerala - 683589
Phone : 04847180654, 9446429151
website : www.globallabscochin.com
Email : babu.globallabs@gmail.com
periyarbiotech2003@gmail.com

R & D Laboratory

Mob : 9562800846
Email : globallabskuzhur@gmail.com

Warehouse

Mob : 9562800848
Bamboo House, Kuzhur P.O.
acctsperryarbiotech2003@gmail.com

Crows[®]

Home Care , Personal Hygiene
and Cosmetic Products

Bamboo House, Kuzhur.P.O
www.crowsplus.com,
customercare@crowplus.com,
Customer care : 9562800841



GLOBAL[®] LABS & CONSULTANTS

(A DIVISION OF PERIYAR BIOTECH (P) LTD)

AN ISO 9001 : 2015 & 14001 : 2015 CERTIFIED COMPANY

Approved by Kerala State Pollution Control Board

Empanelled By Suchitwa Mission


Licenced by Kerala state Drugs Control Department


REPORT ON ANALYSIS OF WASTE WATER

1.Source of Sample: STP Filter Out			2.Ref.No: GLC/E/40112031		
3.Sample Collected by: Global services			4.Date of Collection: 10.01.2024		
5.Period of Analysis: 11.01.2024 – 15.01.2024			6.Prepared on: 16.01.2024		
7. Client Address: AMALA INSTITUTE OF MEDICAL SCIENCES, THRISSUR.					
Sl. No	PARAMETERS	Unit	Method	KSPCB LIMIT	ACTUAL CONTENTS
1	pH	--	IS:3025(Pt.11)1983	5.5-9.0	6.94
2	Total Dissolved Solids	mg/l	IS:3025(Pt.16)1984	2100	624
3	Total Suspended Solids	mg/l	IS:3025(Pt.17)1984	100	26
4	BOD 3 days at 27°C	mg/l	IS:3025(Pt.44)1993	30	12.9
5	COD	mg/l	IS:3025(Pt.58)2006	250	54.2
6	Oil and Grease	mg/l	IS:3025(Pt.39)1991	10	02


Remarks: All parameters are within the limit of KSPCB Standard.




Prof. Dr. RAJEE REGHUNATH
PRINCIPAL
AMALA COLLEGE OF NURSING
AMALA NAGAR P.O., THRISSUR-680 555



CHEMIST





Registered Office

Global House, Mekkad P.O., Karakkattukunnu
Nedumbassery, Emakulam Dt. Kerala - 683589
Phone : 04847180654, 9446429151
website : www.globallabscochin.com
Email : babu.globallabs@gmail.com
periyarbiotech2003@gmail.com

R & D Laboratory

Mob : 9562800846
Email : globallabskuzhur@gmail.com

Warehouse

Mob : 9562800848
Bamboo House, Kuzhur P.O.
acctsperryarbiotech2003@gmail.com

Crows[®]

Home Care , Personal Hygiene
and Cosmetic Products

Bamboo House, Kuzhur.P.O
www.crowsplus.com,
customercare@crowplus.com,
Customer care : 9562800841



GLOBAL LABS & CONSULTANTS

(A DIVISION OF PERIYAR BIOTECH (P) LTD)

AN ISO 9001 : 2015 & 14001 : 2015 CERTIFIED COMPANY

Approved by Kerala State Pollution Control Board

Empanelled By Suchitwa Mission

Licenced by Kerala state Drugs Control Department

REPORT ON ANALYSIS OF WASTE WATER

1.Source of Sample: STP Filter Out			2.Ref.No: GLC/E/31215734		
3.Sample Collected by: Global services			4.Date of Collection: 13.12.2023		
5.Period of Analysis: 14.12.2023 – 18.12.2023			6.Prepared on: 19.12.2023		
7. Client Address: AMALA INSTITUTE OF MEDICAL SCIENCES, THRISSUR.					
Sl. No	PARAMETERS	Unit	Method	KSPCB LIMIT	ACTUAL CONTENTS
1	pH	--	IS:3025(Pt.11)1933	5.5-9.0	6.78
2	Total Dissolved Solids	mg/l	IS:3025(Pt.16)1984	2100	552
3	Total Suspended Solids	mg/l	IS:3025(Pt.17)1984	100	32
4	BOD 3 days at 27 ⁰ C	mg/l	IS:3025(Pt.44)1993	30	12.6
5	COD	mg/l	IS:3025(Pt.58)2006	250	56.8
6	Oil and Grease	mg/l	IS:3025(Pt.39)1991	10	02


Remarks: All parameters are within the limit of KSPCB Standard.

CHEMIST

Rajiv



Rajiv
Prof. Dr. RAJEE REGHUNATH
PRINCIPAL
AMALA COLLEGE OF NURSING
AMALA NAGAR P.O., THRISSUR-680 555



Registered Office

Global House, Mekkad P.O., Karakkattukunnu
Nedumbassery, Emakulam Dt. Kerala - 683589
Phone : 04847180654, 9446429151
website : www.globallabscochin.com
Email : babu.globallabs@gmail.com
periyarbiotech2003@gmail.com

R & D Laboratory

Mob : 9562800846
Email : globallabskuzhur@gmail.com

Warehouse

Mob : 9562800848
Bamboo House, Kuzhur P.O.
acctsperryarbiotech2003@gmail.com

Crows

Home Care , Personal Hygiene
and Cosmetic Products

Bamboo House, Kuzhur.P.O
www.crowsplus.com,
customercare@crowplus.com,
Customer care : 9562800841



GLOBAL[®] LABS & CONSULTANTS

(A DIVISION OF PERIYAR BIOTECH (P) LTD)

AN ISO 9001 : 2015 & 14001 : 2015 CERTIFIED COMPANY

Approved by Kerala State Pollution Control Board


Empanelled By Suchitwa Mission

Licensed by Kerala state Drugs Control Department


REPORT ON ANALYSIS OF WASTE WATER

1.Source of Sample: STP Filter Out			2.Ref.No: GLC/E/3108625		
3.Sample Collected by: Global services			4.Date of Collection: 07.11.2023		
5.Period of Analysis: 07.11.2023 – 10.11.2023			6.Prepared on: 11.11.2023		
7. Client Address: AMALA INSTITUTE OF MEDICAL SCIENCES, THRISSUR.					
Sl. No	PARAMETERS	Unit	Method	KSPCB LIMIT	ACTUAL CONTENTS
1	pH	--	IS:3025(Pt.11)1983	5.5-9.0	6.72
2	Total Dissolved Solids	mg/l	IS:3025(Pt.16)1984	2100	392
3	Total Suspended Solids	mg/l	IS:3025(Pt.17)1984	100	45
4	BOD 3 days at 27°C	mg/l	IS:3025(Pt.44)1993	30	17.2
5	COD	mg/l	IS:3025(Pt.58)2006	250	56.6
6	Oil and Grease	mg/l	IS:3025(Pt.39)1991	10	03

Remarks: All parameters are within the limit of KSPCB Standard.



Handwritten signature
Prof. Dr. RAJEE REGHUNATH
PRINCIPAL
AMALA COLLEGE OF NURSING
AMALA NAGAR P.O., THRISSUR-680 555



Registered Office

Global House, Mekkad P.O., Karakkattukunnu
Nedumbassery, Emakulam Dt. Kerala - 683589
Phone : 04847180654, 9446429151
website : www.globallabscochin.com
Email : babu.globallabs@gmail.com
periyarbiotech2003@gmail.com

R & D Laboratory

Mob : 9562800846
Email : globallabskuzhur@gmail.com

Warehouse

Mob : 9562800848
Bamboo House, Kuzhur P.O.
acctsperiyarbiotech2003@gmail.com

Crows[®]

Home Care , Personal Hygiene
and Cosmetic Products

Bamboo House, Kuzhur.P.O
www.crowsplus.com,
customercare@crowplus.com,
Customer care : 9562800841



GLOBAL LABS & CONSULTANTS

(A DIVISION OF PERIYAR BIOTECH (P) LTD)

AN ISO 9001 : 2015 & 14001 : 2015 CERTIFIED COMPANY

Approved by Kerala State Pollution Control Board

Empanelled By Suchitwa Mission

Licenced by Kerala state Drugs Control Department


REPORT ON ANALYSIS OF WASTE WATER

1.Source of Sample: STP Filter Out			2.Ref.No: GLC/E/31013558		
3.Sample Collected by: Global services			4.Date of Collection: 12.10.2023		
5.Period of Analysis: 12.10.2023 – 16.10.2023			6.Prepared on: 16.10.2023		
7. Client Address: AMALA INSTITUTE OF MEDICAL SCIENCES, THRISSUR.					
Sl. No	PARAMETERS	Unit	Method	KSPCB LIMIT	ACTUAL CONTENTS
1	pH	--	IS:3025(Pt.11)1983	5.5-9.0	7.21
2	Total Dissolved Solids	mg/l	IS:3025(Pt.16)1984	2100	568
3	Total Suspended Solids	mg/l	IS:3025(Pt.17)1984	100	33
4	BOD 3 days at 27°C	mg/l	IS:3025(Pt.44)1993	30	15.8
5	COD	mg/l	IS:3025(Pt.58)2006	250	63.1
6	Oil and Grease	mg/l	IS:3025(Pt.30)1991	10	04

Remarks: All parameters are within the limit of KSPCB Standard.



Prof. Dr. RAJEE REGHUNATH
PRINCIPAL
AMALA COLLEGE OF NURSING
AMALA NAGAR P.O., THRISSUR-680 555



CHEMIST



Registered Office

Global House, Mekkad P.O., Karakkattukunnu
Nedumbassery, Emakulam Dt. Kerala - 683589
Phone : 04847180654, 9446429151
website : www.globallabscochin.com
Email : babu.globallabs@gmail.com
periyarbiotech2003@gmail.com

R & D Laboratory

Mob : 9562800846
Email : globallabskuzhur@gmail.com

Warehouse

Mob : 9562800848
Bamboo House, Kuzhur P.O.
acctsperryarbiotech2003@gmail.com

Crows[®]

Home Care , Personal Hygiene
and Cosmetic Products

Bamboo House, Kuzhur.P.O
www.crowsplus.com,
customercare@crowplus.com,
Customer care : 9562800841



GLOBAL LABS & CONSULTANTS

(A DIVISION OF PERIYAR BIOTECH (P) LTD)

AN ISO 9001 : 2015 & 14001 : 2015 CERTIFIED COMPANY

Approved by Kerala State Pollution Control Board

Empanelled By Suchitwa Mission

Licenced by Kerala state Drugs Control Department


REPORT ON ANALYSIS OF WASTE WATER

1.Source of Sample: STP Filter Out			2.Ref.No: GLC/E/30912462		
3.Sample Collectec' by: Global services			4.Date of Collection: 11.09.2023		
5.Period of Analysis: 11.09.2023 – 15.09.2023			6.Prepared on: 16.09.2023		
7. Client Address: AMALA INSTITUTE OF MEDICAL SCIENCES, THRISSUR.					
Sl. No	PARAMETERS	Unit	Method	KSPCB LIMIT	ACTUAL CONTENTS
1	pH	--	IS:3025(Pt.11)1983	5.5-9.0	7.19
2	Total Dissolved Solids	mg/l	IS:3025(Pt.16)1984	2100	496
3	Total Suspended Solids	mg/l	IS:3025(Pt.17)1984	100	39
4	BOD 3 days at 27°C	mg/l	IS:3025(Pt.44)1993	30	8.9
5	COD	mg/l	IS:3025(Pt.58)2006	250	35.4
6	Oil and Grease	mg/l	IS:3025(Pt.39)1991	10	04

Remarks: All parameters are within the limit of KSPCB Standard.



Prof. Dr. RAJEE REGHUNATH
PRINCIPAL
AMALA COLLEGE OF NURSING
AMALA NAGAR P.O., THRISSUR-680 555



Registered Office

Global House, Mekkad P.O., Karakkattukunnu
Nedumbassery, Emakulam Dt. Kerala - 683589
Phone : 04847180654, 9446429151
website : www.globallabscochin.com
Email : babu.globallabs@gmail.com
periyarbiotech2003@gmail.com

R & D Laboratory

Mob : 9562800846
Email : globallabskuzhur@gmail.com

Warehouse

Mob : 9562800848
Bamboo House, Kuzhur P.O.
acctsperryarbiotech2003@gmail.com

Crows[®]

Home Care , Personal Hygiene
and Cosmetic Products

Bamboo House, Kuzhur.P.O
www.crowsplus.com,
customercare@crowplus.com,
Customer care : 9562800841



GLOBAL[®] LABS & CONSULTANTS

(A DIVISION OF PERIYAR BIOTECH (P) LTD)

AN ISO 9001 : 2015 & 14001 : 2015 CERTIFIED COMPANY

Approved by Kerala State Pollution Control Board


Empanelled By Suchitwa Mission

Licenced by Kerala state Drugs Control Department

REPORT ON ANALYSIS OF WASTE WATER

1.Source of Sample: STP Filter Out			2.Ref.No: GLC/E/30823411		
3.Sample Collected by: Global services			4.Date of Collection: 22.08.2023		
5.Period of Analysis: 22.08.2023 – 25.08.2023			6.Prepared on: 26.08.2023		
7. Client Address: AMALA INSTITUTE OF MEDICAL SCIENCES, THRISSUR.					
Sl. No	PARAMETERS	Unit	Method	KSPCB LIMIT	ACTUAL CONTENTS
1	pH	--	IS:3025(Pt.11)1983	5.5-9.0	6.31
2	Total Dissolved Solids	mg/l	IS:3025(Pt.16)1984	2100	432
3	Total Suspended Solids	mg/l	IS:3025(Pt.17)1984	100	31
4	BOD 3 days at 27°C	mg/l	IS:3025(Pt.44)1993	30	9.5
5	COD	mg/l	IS:3025(Pt.58)2006	250	37.6
6	Oil and Grease	mg/l	IS:3025(Pt.39)1991	10	02

Remarks: All parameters are within the limit of KSPCB Standard.



Legu
Prof. Dr. RAJEE REGHUNATH
PRINCIPAL
AMALA COLLEGE OF NURSING
AMALA NAGAR P.O., THRISSUR-680 555

CHEMIST



Registered Office

Global House, Mekkad P.O., Karakkattukunnu
Nedumbassery, Emakulam Dt. Kerala - 683589
Phone : 04847180654, 9446429151
website : www.globallabscochin.com
Email : babu.globallabs@gmail.com
periyarbiotech2003@gmail.com

R & D Laboratory

Mob : 9562800846
Email : globallabskuzhur@gmail.com

Warehouse

Mob : 9562800848
Bamboo House, Kuzhur P.O.
acctspriyabiotech2003@gmail.com

Crows[®]

Home Care , Personal Hygiene
and Cosmetic Products

Bamboo House, Kuzhur.P.O
www.crowsplus.com,
customercare@crowplus.com,
Customer care : 9562800841



GLOBAL[®] LABS & CONSULTANTS

(A DIVISION OF PERIYAR BIOTECH (P) LTD)

AN ISO 9001 : 2015 & 14001 : 2015 CERTIFIED COMPANY

Approved by Kerala State Pollution Control Board
Empanelled By Suchitwa Mission

REPORT ON ANALYSIS OF WASTE WATER

1.Source of Sample: STP Filter Out			2.Ref.No: GLC/E/30725348		
3.Sample Collected by: Global services			4.Date of Collection: 24.07.2023		
5.Period of Analysis: 24.07.2023 – 28.07.2023			6.Prepared on: 29.07.2023		
7. Client Address: AMALA INSTITUTE OF MEDICAL SCIENCES, THRISSUR.					
Sl. No	PARAMETERS	Unit	Method	KSPCB LIMIT	ACTUAL CONTENTS
1	pH	--	IS:3025(Pt.11)1983	5.5-9.0	6.62
2	Total Dissolved Solids	mg/l	IS:3025(Pt.16)1984	2100	520
3	Total Suspended Solids	mg/l	IS:3025(Pt.17)1984	100	12
4	BOD 3 days at 27°C	mg/l	IS:3025(Pt.44)1993	30	7.2
5	COD	mg/l	IS:3025(Pt.58)2006	250	28.5
6	Oil and Grease	mg/l	IS:3025(Pt.39)1991	10	02

Remarks: All parameters are within the limit of KSPCB Standard.



Prof. Dr. RAJEE REGHUNATH
PRINCIPAL
AMALA COLLEGE OF NURSING
AMALA NAGAR P.O., THRISSUR-680 555

CHEMIST

Regi

Registered Office

Global House, Mekkad P.O., Karakkattukunnu
Nedumbassery, Emakulam Dt. Kerala - 683589
Phone : 04847180654, 9446429151
website : www.globallabscochin.com
Email : periyarbiotech@gmail.com

R & D Laboratory
Mob : 9562800846
Email : globallabskuzhur@gmail.com

Warehouse
Mob : 9562800848
Bamboo House, Kuzhur P.O.

Crows[®]

Home Care , Personal Hygiene
and Cosmetic Products
Bamboo House Kuzhur.P.O
www.crowsplus.com,
customer care@crowplus.com,
Customer care : 9562800848





GLOBAL[®] LABS & CONSULTANTS

(A DIVISION OF PERIYAR BIOTECH (P) LTD)

AN ISO 9001 : 2015 & 14001 : 2015 CERTIFIED COMPANY

Approved by Kerala State Pollution Control Board

Empanelled By Suchitwa Mission


Licenced by Kerala state Drugs Control Department

REPORT ON ANALYSIS OF WASTE WATER

1.Source of Sample: STP Filter Out			2.Ref.No: GLC/E/30615239		
3.Sample Collected by: Global services			4.Date of Collection: 14.06.2023		
5.Period of Analysis: 14.06.2023 – 17.06.2023			6.Prepared on: 17.06.2023		
7. Client Address: AMALA INSTITUTE OF MEDICAL SCIENCES, THRISSUR.					
Sl. No	PARAMETERS	Unit	Method	KSPCB LIMIT	ACTUAL CONTENTS
1	pH	--	IS:3025(Pt.11)1983	5.5-9.0	6.64
2	Total Dissolved Solids	mg/l	IS:3025(Pt.16)1984	2100	504
3	Total Suspended Solids	mg/l	IS:3025(Pt.17)1984	100	18
4	BOD 3 days at 27°C	mg/l	IS:3025(Pt.44)1993	30	9.8
5	COD	mg/l	IS:3025(Pt.58)2006	250	39.1
6	Oil and Grease	mg/l	IS:3025(Pt.39)1991	10	02

Remarks: All parameters are within the limit of KSPCB Standard.


Prof. Dr. RAJEE REGHUNATH
PRINCIPAL
AMALA COLLEGE OF NURSING
AMALA NAGAR P.O., THRISSUR-680 555



CHEMIST





Registered Office

Global House, Mekkad P.O., Karakkattukunnu
Nedumbassery, Emakulam Dt. Kerala - 683589
Phone : 04847180654, 9446429151
website : www.globallabscochin.com
Email : babu.globallabs@gmail.com
periyarbiotech2003@gmail.com

R & D Laboratory

Mob : 9562800846
Email : globallabskuzhur@gmail.com

Warehouse

Mob : 9562800848
Bamboo House, Kuzhur P.O.
acctsperiyarbiotech2003@gmail.com

Crows[®]

Home Care , Personal Hygiene
and Cosmetic Products

Bamboo House, Kuzhur.P.O
www.crowsplus.com,
customercare@crowplus.com,
Customer care : 9562800841